

RELIEVE
PAIN
STIMULATE
HEALING

accelheal.com

AccelHeal Solo
ELECTRICAL STIMULATION WOUND THERAPY

THE BURDEN OF CHRONIC WOUNDS

CHRONIC WOUNDS – THE 'SILENT EPIDEMIC'

1.5
MILLION
PEOPLE

3% of the total adult population in the UK have a chronic wound¹

+50%

Chronic wounds increased by 50% between 2012/2013 and 2017/2018^{1,2^}

**OVER
1/2**

51% of all chronic wounds fail to heal within 12 months^{1*}

THE FINANCIAL BURDEN OF WOUND CARE IS SUBSTANTIAL...





THE COST OF
CHRONIC AND
SURGICAL
WOUND CARE TO
THE NHS IS
**£8.3 BILLION
PER YEAR**^{1*}

Asthma £1.1bn²⁰

Obesity £2bn²⁰

Diabetes 10bn²⁰



FAILURE TO HEAL HAS A MAJOR EFFECT ON COSTS



£4.9 BILLION IS SPENT ON
HARD-TO-HEAL CHRONIC
WOUNDS TYPES EVERY YEAR



MOST OF THE COSTS ARE
DUE TO WOUNDS THAT
FAIL TO HEAL



* represents data from the UK

[^] calculated from reference 1 and 2

[†] represents all wound types, not just chronic wounds

WHAT IS ELECTRICAL STIMULATION (EST)?

EST IS THE APPLICATION OF A SMALL ELECTRICAL CURRENT TO HUMAN TISSUE

EST is already widely used in clinical medicine:³

Examples include:

- Cochlear implants
- Pacemakers
- Spinal cord nerve stimulation




EST HAS ALSO BEEN USED IN **SPECIALIST WOUND CLINICS FOR MANY YEARS.**

NORMAL WOUND HEALING RELIES ON A "CURRENT OF INJURY"⁴

Intact skin acts as a "battery."⁴


During normal wound healing, a "current of injury" helps to direct cell migration and proliferation from the wound edge into the centre of the wound.⁴



IN HARD-TO-HEAL WOUNDS, THE CURRENT OF INJURY MAY BECOME EXHAUSTED.³

WHEN EXTERNALLY APPLIED TO HARD-TO-HEAL WOUNDS, EST STIMULATES MANY ASPECTS OF THE HEALING PATHWAY³


EST modulates events in the following phases of wound healing:



WHY USE EST?

IN CHRONIC WOUNDS, THERE IS STRONG EVIDENCE THAT **EST CAN KICK-START THE HEALING PROCESS.**

Electrical stimulation is one of the most evidence-based modalities in wound management today: ³



A META ANALYSIS REPORTED THAT ON AVERAGE, ADDING EST TO STANDARD CARE **ALMOST DOUBLED THE RATE OF HEALING OVER A 4-WEEK TREATMENT PERIOD.**⁵

EST IS RECOGNISED IN WOUND CARE GUIDELINES AND RECOMMENDATIONS ^{6,7}



UP UNTIL NOW, **EST HAS NOT BEEN AVAILABLE IN A FORMAT THAT MAKES IT EASY TO USE IN FRONTLINE CLINICAL PRACTICE.** ACCEL-HEAL SOLO NOW MAKES THIS POSSIBLE. ^{6,8,9}

- Preprogrammed 12 days of therapy in one device.
- Simple to apply and easy to use.
- Available to use in the community.
- Can be used in conjunction with existing wound management dressing choices and compression therapy.



Accel Heal Solo

ELECTRICAL STIMULATION WOUND THERAPY

AN ELECTRICAL STIMULATION
DEVICE THAT **MAKES
FRONTLINE ADOPTION
OF EST POSSIBLE**

Accel-Heal Solo is a preprogrammed,
wearable, single-use EST device for the
treatment of hard-to-heal wounds.



SUB-SENSORY
MICROCURRENT
EST - MINIMISES
UNPLEASANT
SENSATIONS ³



'OFF THE SHELF'
- NO EXPENSIVE KIT
OR TRAINING
REQUIRED



SIMPLE AND
EASY TO USE



12-DAY
ONE-OFF
THERAPY



CAN BE USED
ALONGSIDE
CURRENT TOPICAL
TREATMENT

ADDITIONAL FEATURES:


Until now, the 12-day therapy has been delivered through the consecutive use of six Accel-Heal 48-hour devices. Accel-Heal Solo delivers the full 12 days of therapy through a single unit.

The treatment pack contains the single device as well as a strap and clip to make the device easy to wear.

Additional improvements include longer electrode wires for larger, hard-to-reach wounds as well as indicator lights for troubleshooting during treatment.



WHAT TO EXPECT WHEN USING ACCEL-HEAL



APPLICATION IS SIMPLE



Everything required to use the device is within the therapy pack



A clip and strap is provided to support fastening and wearability.



Application Guide and 'How to Use' videos are available on the website.

Please refer to instructions for use before commencing therapy.



ACCEL-HEAL'S CLINICAL EVIDENCE

23 PUBLISHED ARTICLES INCLUDING 10 PAPERS AND 13 POSTERS, HAVE BEEN PUBLISHED

Including 2 double blind, placebo controlled RCTs:



ACCEL-HEAL HAS BEEN PROVEN TO...



Achieve healing in between 84% and 90% of cases ^{12,13,14}



Heal wounds faster than placebo (RCT) ¹¹



Markedly reduce wound pain ^{16,17}



Change gene expression, potentially reducing inflammation ¹⁰







Improve tolerance and adherence to compression therapy ¹⁸




Improve mobility and quality of life ^{16,17}

Three observational studies report a high proportion of healed wounds following treatment with Accel-Heal ^{12,13,14}



The results of these three observation studies indicate that incorporating Accel-Heal therapy into a care pathway for VLUs that were not progressing satisfactorily at 8 weeks would increase the % wound healing within 12 months from 53% to 97% ¹³

ACCEL-HEAL REDUCES PAIN



Pain has been reported to be markedly reduced within 2 weeks of treatment with Accel-Heal.¹⁵

Relief of pain enabled some patients to reduce their pain medication including:^{16,17}



- Tramadol
- Gabapentin
- Morphine

ACCEL-HEAL IS COST EFFECTIVE



The faster time to healing achieved with Accel-Heal can translate into cost savings.

In an RCT, the wounds that healed, did so **3.6 weeks faster** than wounds in the placebo group¹¹

Accel-Heal + compression

2.6 months

Sham EST + compression

3.5 months

The faster healing time achieved with Accel-Heal could **save up to £936 per patient healed¹⁹**

Difference in healing time
3.6 weeks



Average weekly cost of treating a venous leg ulcer in the UK²¹
£260



Cost savings per patient
£936

POTENTIAL CANDIDATES FOR ACCEL-HEAL

...HAVE A
PAINFUL
WOUND



...HAVE A
STALLED
WOUND

...ARE WORRIED
ABOUT WOUND
PAIN AND
RELUCTANT
TO TRY NEW
TREATMENTS

...ARE
FRUSTRATED
WITH THE
REDUCED
MOBILITY
LINKED WITH
THEIR PAIN

...ARE AT
HIGH-RISK OF
INFECTION
OR STALLED
HEALING

...ARE INTOLERANT
OF WOUND
TREATMENTS
BECAUSE OF
WOUND PAIN



USERS OF ACCEL-HEAL SAY

"When I first put the device on I was in absolutely excruciating pain and I just didn't know what to do. I was taking painkillers – they weren't doing anything. And then the device went on and day after day after day it was getting that little bit better."

MRS F, PATIENT USING ACCEL-HEAL

"Once it started to heal, it's just been racing. Every time the district nurses take off the dressings, they look at it and say 'wow, we're almost there'. They can't believe the difference and I can't believe the difference. My sleep is fantastically different now that the ulcer has healed and that it is no longer painful. I've gone from having to go twice a week to have my leg dressed to once a week and that in itself is a blessing because I'm not so confined to having to go out and do things."

MRS J, PATIENT USING ACCEL-HEAL

"Her pain diminished and, within days, the wound started to shrink and it was just great to see mum getting back into life and being happy."

RELATIVE OF PATIENT USING ACCEL-HEAL

SUMMARY


THERE IS A WEALTH OF EVIDENCE THAT EST AND ACCEL-HEAL CAN BENEFIT HARD-TO-HEAL WOUNDS

These benefits include:

- Early relief of pain¹⁵⁻¹⁷
- Reduced inflammation¹⁰
- Stimulation of the healing process¹¹

This leads to improvements in:

- Patient mood^{16,17}
- Quality of life^{16,17}
- Mobility^{16,17}
- Tolerance of other gold standard treatments e.g. compression therapy¹⁸



References:

1. Guest JF et al. BMJ Open 2020;10:e045253;
2. Guest JF et al. BMJ Open. 2015;5(12):e009283;
3. Atkin et al 2019. Accel-Heal Made Easy. www.wounds-uk.com/resources/details/made-easy-accel-heal-electrical-stimulation;
4. McCaig CD, et al. Physiol Rev. 2005;85(3):943-978;
5. Koel et al. 2014. Advances in Wound Care 3 (2): 118-26;
6. Piaggese et al. J Wound Care, 2018; 27(6), Suppl 6;
7. NPUAP. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. (Haesler E, ed.). Osborne Park, Australia: Cambridge Media, 2014;
8. Draper et al. Int J Athl Ther Train. 2012;17(4):32-34;
9. Houghton PE. Chronic Wound Care Manag Res. 2017; 4:25-44;
10. Lallyett et al. Adv Ski Wound Care. 2018;31(7):322-327;
11. Guest et al. 2018. J Wound Care. 2018;27(4):230-243;
12. Turner and Ovens. 2017. Wounds UK 13(4):80-99;
13. Ovens 2019. Wounds UK;15(3):78-84;
14. Ovens. Poster presented at EWMA 2019;
15. Turner and Ovens, presented at EWMA 2018;
16. Louison et al. Presented at EWMA, 2015;
17. Greaves et al, presented at Wounds UK 2014;
18. Ovens, presented at: Wounds UK 2014;
19. Posnett et al. 2020. Presented at EWMA 2020;
20. National Audit office www.nao.otg.uk;
21. Guest et al 2017. Int Wound J. 2017; 14(2):322-330.

CONTACT US



+44 (0)1959 569 433



customerservices@accelheal.com



accelheal.com



Accel-Heal Technologies Limited
Hever Business Centre
Hever, Kent, TN8 7ER
UK

AccelHeal Solo
ELECTRICAL STIMULATION WOUND THERAPY

PRODUCT CODE: K560-1 PIP CODE: 4195251

REGISTERED DESIGN APPLICATION NUMBERS 6153336, 6153337 AND 6153338
VERSION 2, 7TH DECEMBER 2021

AccelHeal Solo

ELECTRICAL STIMULATION WOUND THERAPY

accelheal.com

customerservices@accelheal.com

+44 (0)1959 569 433